



*Passion*

Switches with a heart  
it beats for

**Your Safety**



Since 1947

**TRACKING INDEX TEST**

**THE GLOW WIRE TEST**

**THE ON-LOAD TEST**

**SHOCK PROOF**



50 Drops

**FIRE PROOF**



30 Seconds at 850°C.

**TIME TESTED**



40000 On-off Operations

**CPL Passion RANGE : SOME ADVANCED AND NOVEL DESIGN FEATURES.**

Switch on the pure silver efficiency with CPL. The only electrical Switches with (AgCdO) silver cadmium oxide contact-tips for the best conductivity, sterling efficiency and a life-time of durability. Take a close look: off-white universal colour, ivory smooth feel and finish. Heavy, strong, sturdy and tough CPL electrifying breed. And not only switches, but the whole range; socket outlets, power range, plugs, ceiling roses, wiring boxes. Specially crafted from **Urea Formaldehyde thermosetting Resins**. (UF) Molded on the most sophisticated machinery and equipment with advanced process. No wonder, CPL range has the quality at par with the international brands. (UF) switches are scratch resistant as compared to PC which is easily scratchable.

- All Switches feature a **POSITIVE ROCKER ACTION**
- All SWITCHED SOCKET OUTLETS are **SHUTTERED** to ensure total safety when not in use.
- All plug-tops have **SOLID PINS** with **PINCHING** type wiring system and **DELRIN CORD Grip**.
- 13 Amps plug-tops have **BUILT-IN FUSE** to safeguard all types of appliances.
- Double Pole Switches are **MOST COMPACT** available so far.
- Ceiling and wall holder have **HEAVY DUTY PLUNGERS**.
- Tracking Index test of 50 drops is proof enough for shock proof unlike **Polycarbonate (PC)** which has 1 to 1.5 MM thickness always fails.
- Glow wire test on UF molding withstand 30 seconds at 850 C. unlike PC which cannot stand such HIGH temperature.
- On load test of 40000 operations is proof enough for the life it will give with actual usage.

Sr. No.	Cat. No.	Description	Std. Pkg.	MRP/Pc.	Sr. No.	Cat. No.	Description	Std. Pkg.	MRP/Pc.	Sr. No.	Cat. No.	Description	Std. Pkg.	MRP/Pc.
---------	----------	-------------	-----------	---------	---------	----------	-------------	-----------	---------	---------	----------	-------------	-----------	---------



1.	501-CPS/1	One Gang 1 Way	10	
2.	501-CPS/2	2 Way	10	
3.	501-CPS/BP	Bell Push	10	



4.	502-CPS/1	Two Gang 1 Way	10	
5.	502-CPS/2	2 Way	10	
6.	502-CPS/BP	Bell Push	10	



7.	503-CPS/1	Three Gang 1 Way	10	
8.	503-CPS/2	2 Way	10	
9.	503-CPS/BP	1 Bell Push	10	



10.	504-CPS/1	Four Gang 1 Way	10	
11.	504-CPS/2	2 Way	10	
12.	504-CPS/BP	Bell Push	10	
13.	404-CPS	All 2 Way Square	10	



14.	506-CPS/1	Six Gang 1 Way	10	
15.	506-CPS/2	2 Way	10	
16.	506-CPS/BP	1 Bell Push	10	
17.	606 CPS	All 2 Way Square	10	



18.	501-CPD	One Gang 2Way without Regulator	10	
-----	---------	---------------------------------	----	--



19.	502-CPD	Two Gang 2 Way without Regulator	10	
-----	---------	----------------------------------	----	--



20.	503-CPD	Three Gang 2 Way Without Regulator	10	
-----	---------	------------------------------------	----	--



21.	5002-CPD	Two Gang 2 Way without Regulator	10	
-----	----------	----------------------------------	----	--



22.	5001-CPDS	Three Gang 2 Way without Regulator	10	
-----	-----------	------------------------------------	----	--



23.	400-CPS/A2W	Four Gang all 2W with Pro. for 1/2 Regulator	10	
24.	400-CPS/2S2W	Four Gang 2S 2W with Pro. for 1/2 Regulator	10	



25.	600-CPS/A2W	Six Gang all 2W with Pro. for 1/2 Regulator	10	
26.	600-CPS/2S2W	Six Gang 2S 2W with Pro. for 1/2 Regulator	10	

\*Sr. No. 18 to 26 all items supplied without Regulators/Dimmers. Please refer Sr. No. 124, 125, 126, for rates of Regulators / Dimmer

**SWITCH SOCKET**

Sr. No.	Cat. No.	Description	Std. Pkg.	MRP/Pc.
---------	----------	-------------	-----------	---------



27.	605-CMSP	Unshuttered W/O LED	10	
28.	605-CMSP/R	Shuttered with LED	10	
29.	551-CMSP	6A SPC Multi W/O LED	10	
30.	551-CMSP/R	6A SPC Multi with LED	10	

Sr. No.	Cat. No.	Description	Std. Pkg.	MRP/Pc.
---------	----------	-------------	-----------	---------



31	605-CMSP/D	Unshuttered W/O LED	10	
32.	605-CMSP/D/R	Shuttered with LED	10	
33.	551-CMSP/D	6A SPC Multi Dual W/O LED	10	
34.	551-CMSP/D/R	6A SPC Multi Dual With LED	10	

Sr. No.	Cat. No.	Description	Std. Pkg.	MRP/Pc.
---------	----------	-------------	-----------	---------



35.	1015-CSSO	16A SPC	10	
36.	1015-CSSO/R	16A SPC Shuttered with LED	10	




37.	1015-CSSO/D	15A SPC Dual	10	
38.	1015-CSSO/D/R	15A SPC Dual Shuttered with LED	10	



39	16116-CMSP	6/16A SPC Unshuttered W/O LED	10	
40.	16116-CMSP/R	6/16A SPC Shuttered with LED	10	
41	1551-CMSP	6/16A SPC Unshuttered W/O LED	10	
42.	1551-CMSP/R	6/16A SPC Shuttered with LED	10	



43.	16116-CMSP/D	6/16A SPC Dual Unshuttered W/O LED	10	
44.	16116-CMSP/D/R	6/16A SPC Dual Shuttered with LED	10	
45.	1551-CMSP/D	6/16A SPC Dual Unshuttered W/O LED	10	
46.	1551-CMSP/D/R	6/16A SPC Dual Shuttered with LED	10	



47.	1013-CSSO	13A SPC	10	
48.	1013-CSSO/R	13A SPC with LED	10	



49.	1013-CSSO/D	13A SPC Dual	10	
50.	1013-CSSO/D/R	13A SPC Dual with LED	10	



51.	2021-CDPMS	20A D.P. 6/16 Socket with FUSE and LED	10	
-----	------------	--	----	--



52.	616-CMSP/R	6A and 16A SPC with Shutter & LED	10	
-----	------------	-----------------------------------	----	--



53.	2616-CMSP/R	6A and 6/16A SPC with Shutter & LED	10	
-----	-------------	-------------------------------------	----	--



54.	23616-CMSP/R	2/3 Pin & 6/16A SPC with Shutter & LED	10	
-----	--------------	--	----	--



55.	502-CPSO	2 Gang 1SW 2 Way & Universal Socket	10	
56.	502-CPSO/2	2 Gang 2 Way & Universal Socket	10	



57.	503-CPSO	3 Gang 1SW 2 Way & Universal Socket	10	
58.	503-CPSO/2	3 Gang 2SW 2 Way & Universal Socket	10	



59.	5002-CPSO/3P	3 Gang 2W with 3 Pin Socket	10	
60.	5002-CPSO/5P	3 Gang 2W with 5 Pin Socket	10	



61.	4004-CPS/A2W	Four Gang All 2W with Universal Socket & LED	10	
62.	4004-CPS/2S2W	Four Gang 2SW 2W with Universal Socket & LED	10	



63.	6006-CPS/A2W	Six Gang All 2W with Universal Socket & LED	10	
64.	6006-CPS/2S2W	Six Gang 2SW 2W with Universal Socket & LED	10	



65.	4500-CCU	Cooker & Socket 45A Switch with 13A SPC With LED	10	
-----	----------	--	----	--





EUROPEAN STANDARDS



Since 1947  
ISO 9001 : 2000



BUREAU OF INDIAN STANDARDS

Sr. No.	Cat. No.	Description	Std. Pkg.	MRP/Pc.
---------	----------	-------------	-----------	---------

Sr. No.	Cat. No.	Description	Std. Pkg.	MRP/Pc.
---------	----------	-------------	-----------	---------

Sr. No.	Cat. No.	Description	Std. Pkg.	MRP/Pc.
---------	----------	-------------	-----------	---------

**SOCKETS**



66.	105-CSO	6A 3Pin Socket	10	
-----	---------	----------------	----	--



67.	1015-CSO	16A 3 Pin Socket	10	
-----	----------	------------------	----	--



68.	551-CMS	6A 2/3 Pin Multi Socket	10	
-----	---------	-------------------------	----	--




69.	1551-CMS	6/16A Multi Shuttered Socket	10	
-----	----------	------------------------------	----	--



70.	603-CTVO	T.V. Socket Single	10	
71.	603/CTVO/D	T.V. Socket Dual	10	



72.	TV/RJ-11	T.V. Socket with Rj11	10	
-----	----------	-----------------------	----	--



73.	CTJ-101	RJ-11 Single	10	
74.	CTJ-103	RJ-11 Dual	10	



75.	CTJ-102	RJ-11 Single with shutter	10	
76.	RJ-45	Computer Modem Socket	10	



77.	2001-CCS	BNC Connector Single	10	
78.	2002-CCS	BNC Connector Dual	10	

**TOUGH PLUGS**



79.	105-CPT	6A 3 Pin Plug with Solid Brass Pins	10	55.00
80.	105-CPT(PP)	6A 3 Pin Plug with Solid Brass Pins	10	50.00



81.	1013-CPTF	13A Solid Flat Pin Plug with Fuse	10	110.00
82.	1013-CPTF(PP)	13A Solid Flat Pin Plug with Fuse	10	90.00



83.	1015-CPT	16A 3 Pin Plug with Solid Brass Pins	10	120.00
-----	----------	--------------------------------------	----	--------

**HOLDER-CEILING**



84.	211-CALH	Angle Holder with Heavy Duty Brass Plungers	10	
85.	211-CALH/T	Thread Type	10	



86.	210-CBLH	Batten Holder with Heavy Duty Brass Plungers	10	
87.	210-CBLH/T	Thread Type	10	



88.	209-CPLH	Pendent Holder with Heavy Duty Brass Plungers	10	
-----	----------	---	----	--



89.	208-CSR/2C	Conical Ceiling Rose 2 Plate	10	
90.	208-CSR/3C	Conical Ceiling Rose 3 Plate	10	



91.	JUMBO	Jumbo Ceiling Rose	10	
-----	-------	--------------------	----	--



92.	CEILING SWITCH	6A Ceiling Switch Fitted with Switch Cord Of 1.5 mts.	10	
-----	----------------	---	----	--



Since 1947

*Passion*

THE ORIGINAL CPL PRODUCTS  
ALWAYS LOOK FOR HEART ALONG SIDE CPL LOGO.

Sr. No. Cat. No. Description Std. Pkg. MRP/Pc.

POWER



93. 1501-CPS/1 16A Single Pole 1 Way 10  
94. 1501-CPS/2 16A Single Pole 2 Way 10

Sr. No. Cat. No. Description Std. Pkg. MRP/Pc.



95. 2021-CPDS/1 20A Double Pole with LED 1 Way 10  
96. 2021-CPDS/2 20A Double Pole Switch With 2 Way 10

Sr. No. Cat. No. Description Std. Pkg. MRP/Pc.



97. 1502-CDPF 16A Double Pole Switch With FUSE & LED 10



98. 3032-CDP 32A Double Pole Switch with LED 10



99. KEY TAG 20A Double Pole Switch With 2 LED 10



100. 410-CCU 45A Cooker Connector Unit 10



101. 2026-CFOP 20 A Connector Unit 10


ARCHITRAVE



102. 507-CPS/1 One Gang 1 Way 10  
103. 507-CPS/2 2 Way 10  
104. 507-CPS/BP Bell Push 10  
105. 403-CMB CO- Box 40




106. 1507-CPS 16A Single Pole Switch 10  
107. 507-CDR 4 Step Regulator 10  
108. 1015-CFU Rewireable Fuse Up to 16A 10




109. 507-CSO 2 Pin Universal Socket 10  
110. 507-CTVO T.V. Co-axial Socket 10  
111. 507-CBP Blank Plate 10



112. 507-RJ11/1 Jack RJ-11 Single 10  
113. 507-RJ11/2 Jack RJ-11 Dual 10  
114. 507-CUS 2/3 Pin Universal Socket 10



115. 1507-CMS 6/16A Multi Socket 10  
116. 1015-CDPS 16A Double Pole Switch with LED 10



117. 110-CSO Shaver Socket 110Volts Only 10



118. 110/230-CSS Shaver Socket 110 and 230 Volts 10



119. 110/230-CTSS Shaver Socket with Transformer 110/230 Volts 10

FANLIGHT REGULATOR



120. 2065-CDS 750W Dimmer with Plate 10  
121. 2065-CDS 750W Regulator with Plate 10



122. 2035-CDS 4 Step Fan Regulator with Plate 10  
123. 2035-CDS 5 Step Fan Regulator with Plate 10



124. 4 Step Fan Regulator 10  
125. 5 Step Fan Regulator 10  
126. 750 Watt Fan Regulator 10



EUROPEAN STANDARDS



Since 1947  
ISO 9001 : 2000



BUREAU OF INDIAN STANDARDS

Sr. No. Cat. No. Description Std. Pkg. MRP/Pc.

Sr. No. Cat. No. Description Std. Pkg. MRP/Pc.

Sr. No. Cat. No. Description Std. Pkg. MRP/Pc.

BOXES-BLANKING PLATE



127. 401-CPB Plastic Square Conceal Co-Box 40

128. 402-CPB Plastic Rectangular Conceal Co-Box 20

129. 401-CMB Moulded Square 20 MM Surface Box 40



130. 405-CMB Moulded Square 40 mm Surface Box 10

132. 402-CMB Moulded Rectangular 40 mm Surface Box 10

134. 401-ZIC Metal Square Conceal 35 mm Box 40

131. 405-CMB Moulded Square 50 mm Surface Box 10

133. 402-CMB Moulded Rectangular 50 mm Surface Box 10

135. 401-ZIC Metal Square Conceal 50 mm Box 40



136. 402-ZIC Metal Rectangular Conceal 35 mm Box 20

138. 100-CBP Square Blank Plate 40

139. 101-CBP Rectangular Blank Plate 20

137. 402-ZIC Metal Rectangular Conceal 50 mm Box 20

OTHER PRODUCT RANGE



Dil



Lunar



UREKA



Solar



SWITCHGEAR

**GUARANTEE:** CPL is prepared to make good, by repair or by supply of replacement, defects which occur with proper use, within a period of one year after the goods have been delivered and arise solely due to faulty materials or workmanship, provided that the customer has not made any attempt to rectify, dismantle or alter it in any way.

**TERMS & CONDITIONS:** Price Effective from 01-01-2012, and are liable to change without notice. Goods will be supplied in standard packing only. No demurrage / Breakage claims will be entertained after 15 days from the date of invoice. Goods once sold will not be taken back or exchanged, except found having manufacturing defect. All decisions at the sole discretion of company. All disputes subject to Mumbai Jurisdiction.



CPL Switches Private Limited  
MANUFACTURERS & EXPORTERS OF ELECTRICAL GOODS

P.O. Box No. 8943, Plot No. 38,  
Choksi Compound, Saki Vihar Road,  
Powai, Mumbai : 400 072. (INDIA)  
Fax : +91-22-2857 2676.  
Email : info@cplswitches.com  
Website : www.cplswitches.com

Always look for this



Hologram

Distributor / Dealer / Agent

Blank box for distributor/dealer/agent information