



M/S \_\_\_\_\_ DATE: \_\_\_\_\_

\_\_\_\_\_ REF: \_\_\_\_\_

## *Passion* RANGE TECHNICAL DETAILS

### LIGHTING SWITCHES

Sr. No.	Catalogue No.	Dimensions	Fixing Hole Center	Surface Box	Conceal Box metal/pvc	Std Packing	ISI No.	As Per B. S.
1.	507 CPS/BP	85.5 X 31.5mm	60.3mm	403 CMB	--	20pcs.	IS:3854:1988	BS: 3676 Pt 1 : 1989
2.	505 CPS/1	85.5 X 31.5mm	60.3mm	403 CMB	--	20pcs.	IS:3854:1988	BS: 3676 Pt 1 : 1989
3.	507 CPS/2	85.5 X 31.5mm	60.3mm	403 CMB	--	20pcs.	IS:3854:1988	BS: 3676 Pt 1 : 1989
4.	504 CPS	85.5 X 146mm	120.6mm	402 CMB	402 ZIC/CPB	10pcs.	IS:3854:1988	BS: 3676 Pt 1 : 1989
5.	506 CPS	85.5 X 146mm	120.6mm	402 CMB	402 ZIC/CPB	10pcs.	IS:3854:1988	BS: 3676 Pt 1 : 1989
6.	501 CPS/BP	85.5 X 85.5mm	60.3mm	401 CMB	401 ZIC/CPB	10pcs.	IS:3854:1988	BS: 3676 Pt 1 : 1989
7.	501 CPS/1	85.5 X 85.5mm	60.3mm	401 CMB	401 ZIC/CPB	10pcs.	IS:3854:1988	BS: 3676 Pt 1 : 1989
8.	501 CPS/2	85.5 X 85.5mm	60.3mm	401 CMB	401 ZIC/CPB	10pcs.	IS:3854:1988	BS: 3676 Pt 1 : 1989
9.	502 CPS	85.5 X 85.5mm	60.3mm	401 CMB	401 ZIC/CPB	10pcs.	IS:3854:1988	BS: 3676 Pt 1 : 1989
10.	503 CPS	85.5 X 85.5mm	60.3mm	401 CMB	401 ZIC/CPB	10pcs.	IS:3854:1988	BS: 3676 Pt 1 : 1989

### 13 AMPS. SOCKET AND SWITCH SOCKET

Sr. No.	Catalogue No.	Dimensions	Fixing Hole Center	Surface Box	Conceal Box metal/pvc	Std Packing	ISI No.	As Per B. S.
11.	1013 CSO	85.5 X 85.5mm	60.3mm	401 CMB	401 ZIC/CPB	10 pcs.	--	BS: 1363 : 1984
12.	1013 CSO/D	85.5 X 146mm	120.6mm	402 CMB	402 ZIC/CPB	10 pcs.	--	BS: 1363 : 1984
13.	1013 CSSOR/D*	85.5 X 146mm	120.6mm	402 CMB	402 ZIC/CPB	10 pcs.	--	BS: 1363 : 1984
14.	1013 CSSO/R*	85.5 X 85.5mm	60.3mm	405 CMB	401 ZIC/CPB	10 pcs.	--	BS: 1363 : 1984

### POWER RANGE EXPORT

Sr. No.	Catalogue No.	Dimensions	Fixing Hole Center	Surface Box	Conceal Box metal/pvc	Std Packing	ISI No.	As Per B. S.
15.	1501 CPS	85.5 X 85.5mm	60.3mm	401 CMB	401 ZIC/CPB	10pcs.	IS: 3854 : 1988	BS: 3676 : 1989
16.	2021 CDPS	85.5 X 85.5mm	60.3mm	401 CMB	401 ZIC/CPB	10pcs.	IS: 3854 : 1988	BS: 3676 : 1989
17.	2026 CFOP	85.5 X 85.5mm	60.3mm	401 CMB	401 ZIC/CPB	10pcs.	--	--
18.	4500 CCU	85.5 X 146mm	120.6mm	402 CMB	402 ZIC/CPB	10pcs.	--	BS: 4177 : 1967
19.	410 CCU	85.5 X 85.5mm	60.3mm	405 CMB	401 ZIC/CPB	10pcs.	--	BS: 5733 : 1979

### POWER RANGE DOMESTIC

Sr. No.	Catalogue No.	Dimensions	Fixing Hole Center	Surface Box	Conceal Box metal/pvc	Std Packing	ISI No.	As Per B. S.
20.	3031 CDPS	85.5 X 146mm	120.6mm	--	402 ZIC/CPB	10pcs.	--	--
21.	2021 CDPMS	85.5 X 146mm	120.6mm	--	402 ZIC/CPB	10pcs.	--	--
22.	1502 CDPF	85.5 X 85.5mm	60.3mm	405 CMB	401 ZIC/CPB	10pcs.	--	--
23.	3032 CDP	85.5 X 85.5mm	60.3mm	405 CMB	402 ZIC/CPB	10pcs.	IS: 3854 : 1988	BS: 3676 Pt 1 : 1989

### 6/16 AMPS. SWITCH SOCKETS

Sr. No.	Catalogue No.	Dimensions	Fixing Hole Center	Surface Box	Conceal Box metal/pvc	Std Packing	ISI No.	As Per B. S.
24.	1551 CMSP/D	85.5 X 146mm	120.6mm	402 CMB	402 ZIC/CPB	10 pcs.	IS: 4615 : 1968	--
25.	1551 CMSP	85.5 X 85.5mm	60.3mm	405 CMB	401 ZIC/CPB	10 pcs.	IS: 4615 : 1968	--
26.	105 CSSO/R	85.5 X 85.5mm	60.3mm	405 CMB	401 ZIC/CPB	10 pcs.	IS: 4615 : 1968	BS: 546 : 1950
27.	105 CSSOR/D	85.5 X 146mm	120.6mm	402 CMB	402 ZIC/CPB	10 pcs.	IS: 4615 : 1968	--
28.	1015 CSSOR/D	85.5 X 146mm	120.6mm	402 CMB	402 ZIC/CPB	10 pcs.	IS: 4615 : 1968	--
29.	1015 CSSO/R*	85.5 X 85.5mm	60.3mm	405 CMB	401 ZIC/CPB	10 pcs.	IS: 4615 : 1968	BS: 546 : 1950
30.	551 CMSP/D	85.5 X 146mm	120.6mm	402 CMB	402 ZIC/CPB	10 pcs.	--	--
31.	551 CMSP	85.5 X 85.5mm	60.3mm	405 CMB	401 ZIC/CPB	10 pcs.	--	--

\* THESE ITEMS ARE ALSO AVAILABLE WITH INDICATOR

**SOCKETS**

Sr. No.	Catalogue No.	Dimensions	Fixing Hole Center	Surface Box	Conceal Box metal/pvc	Std Packing	ISI No.	As Per B. S.
32.	1015 CSO	85.5 X 85.5mm	60.3mm	405 CMB	401 ZIC/CPB	10pcs.	IS: 1293 : 1989	BS: 546 : 1950
33.	1551 CMS	85.5 X 85.5mm	60.3mm	405 CMB	401 ZIC/CPB	10pcs.	IS: 1293 : 1989	--
34.	105 CSO	85.5 X 85.5mm	60.3mm	405 CMB	401 ZIC/CPB	10pcs.	IS: 1293 : 1989	BS: 546 : 1950
35.	551 CMS	85.5 X 85.5mm	60.3mm	405 CMB	401 ZIC/CPB	10pcs.	--	--
36.	102 CSO	85.5 X 85.5mm	60.3mm	405 CMB	401 ZIC/CPB	10pcs.	--	BS: 546 : 1950

**COMBINATIONS**

Sr. No.	Catalogue No.	Dimensions	Fixing Hole Center	Surface Box	Conceal Box metal/pvc	Std Packing	ISI No.	As Per B. S.
37.	5002 CPSO/5	85.5 X 146mm	120.6mm	402 CMB	402 ZIC/CPB	10pcs.	--	--
38.	502 CPD/1	85.5 X 146mm	120.6mm	402 CMB	402 ZIC/CPB	10pcs.	--	--
39.	502 CPD/2	85.5 X 146mm	120.6mm	402 CMB	402 ZIC/CPB	10pcs.	--	--
40.	2025 CDS	85.5 X 85.5mm	60.3mm	405 CMB	401 ZIC/CPB	10pcs.	--	BS: 5518 : 1977
41.	5002 CPSO/3	85.5 X 146mm	120.6mm	402 CMB	402 ZIC/CPB	10pcs.	IS: 4615 : 1968	--
42.	5001 CPDS	85.5 X 146mm	120.6mm	402 CMB	402 ZIC/CPB	10pcs.	--	--
43.	5005 CPDD	85.5 X 146mm	120.6mm	402 CMB	402 ZIC/CPB	10pcs.	--	--
44.	750 CDS	85.5 X 85.5mm	60.3mm	405 CMB	401 ZIC/CPB	10pcs.	--	--

**HOLDERS AND PLUGS**

Sr. No.	Catalogue No.	Fixing Hole Center	Std Packing	ISI No.	As Per B. S.
45.	208 CSR/2C	50.8mm	10 pcs.	--	BS: 67 : 1987
46.	208 CSR/3C	50.8mm	10 pcs.	--	BS: 67 : 1987
47.	208 CSR/2R	50.8mm	10 pcs.	--	BS: 67 : 1987
48.	210 CBLH	50.8mm	10 pcs.	IS: 1258 : 1988	BS: 5042 : 1987
49.	211 CALH	50.8mm	10 pcs.	IS: 1258 : 1988	BS: 5042 : 1987
50.	209 CPLH	50.8mm	10 pcs.	IS: 1258 : 1988	BS: 5042 : 1987
51.	1013 CPTF	50.8mm	10 pcs.	--	BS: 1363 : 1984
52.	1015 CPT	50.8mm	10 pcs.	IS: 1293 : 1988	BS: 546 : 1950
53.	105 CPT	50.8mm	10 pcs.	IS: 1293 : 1988	BS: 546 : 1950
54.	102 CPT	50.8mm	10 pcs.	--	BS: 546 : 1950
55.	1015 CPTF	50.8mm	10 pcs.	--	--

**MOULDED BOXES**

Sr. No.	Catalogue No.	Dimensions	Fixing Hole Center	Std Packing	As Per B. S.
56.	405 CMB	74 X 74 X 40mm	60.3mm	10 pcs.	BS: 5733
57.	402 CMB	74 X 134 X 40mm	120.6mm	10 pcs.	BS: 5733
58.	401 CMB	74 X 74 X 20mm	60.3mm	10 pcs.	BS: 5733
59.	403 CMB	86 X 32 X 20mm	60.3mm	20 pcs.	BS: 5733

**METAL AND PLASTIC BOXES**

Sr. No.	Catalogue No.	Dimensions	Fixing Hole Center	Std Packing	As Per B. S.
60.	401 CPB	78 X 78 X 50mm	60.3mm	10 pcs.	BS: 5733
61.	402 CPB	78 X 138 X 50mm	120.6mm	10 pcs.	BS: 5733
62.	401 ZIC	74 X 74 X 50mm	60.3mm	20 pcs.	BS: 5733
63.	402 ZIC	75 X 134 X 50mm	120.6mm	10pcs.	BS: 5733

**T.V., TELEPHONE AND BLANK PLATES**

Sr. No.	Catalogue No.	Dimensions	Fixing Hole Center	Surface Box	Conceal Box metal/pvc	Std Packing	ISI No.	As Per B. S.
64.	101 CBP	85.5 X 146mm	120.6mm	402 CMB	402 ZIC/CPB	20 pcs.	--	--
65.	100 CBP	85.5 X 85.5mm	60.3mm	401 CMB	401 ZIC/CPB	20 pcs.	--	--
66.	703 CTVO	85.5 X 85.5mm	60.3mm	401 CMB	401 ZIC/CPB	10 pcs.	--	--
67.	701 CTO	85.5 X 85.5mm	60.3mm	401 CMB	401 ZIC/CPB	10 pcs.	--	--
68.	702 CTO	85.5 X 85.5mm	60.3mm	401 CMB	401 ZIC/CPB	10 pcs.	--	--
69.	704 CTVO	85.5 X 85.5mm	60.3mm	401 CMB	401 ZIC/CPB	10 pcs.	--	--

**ARCHITRAVE RANGE**

Sr. No.	Catalogue No.	Dimensions	Fixing Hole Center	Surface Box	Conceal Box metal/pvc	Std Packing	ISI No.	As Per B. S.
70.	1507 CPS	85.5 X 31.5mm	60.3mm	403 CMB	--	20pcs.	--	--
71.	507 CDR	85.5 X 31.5mm	60.3mm	403 CMB	--	10pcs.	--	--
72.	507 CSO	85.5 X 31.5mm	60.3mm	403 CMB	--	20pcs.	--	--
73.	507 CUS	85.5 X 43.0mm	60.3mm	403 CMB	--	20pcs.	--	--
74.	1507 CMS	85.5 X 63.0 mm	31.5 X60.3mm	-	--	10pcs.	IS: 1293 : 1989	--
75.	507 CTVO	85.5 X 31.5mm	60.3mm	403 CMB	--	20pcs.	--	--
76.	507 CTSO	85.5 X 31.5mm	60.3mm	403 CMB	--	20pcs.	--	--
77.	507 CTO	85.5 X 31.5mm	60.3mm	403 CMB	--	20pcs.	--	--
78.	1015 CDPS	85.5 X 63.0mm	31.5X60.3mm	-	--	10pcs.	IS 3854 : 1988	BS: 3676 Pt 1 : 1989
79.	1015 CFU	85.5 X 31.5mm	60.3mm	403 CMB	--	20pcs.	--	--

**BELL PUSH COMBINATIONS**

Sr. No.	Catalogue No.	Dimensions	Fixing Hole Center	Surface Box	Conceal Box metal/pvc	Std Packing
80.	5002 CPSOB/3	85.5 X 146mm	120.6mm	402 CMB	402 ZIC/CPB	10 pcs.
81.	5002 CPSOB/5	85.5 X 146mm	120.6mm	402 CMB	402 ZIC/CPB	10 pcs.
82.	5001 CPDSB	85.5 X 146mm	120.6mm	402 CMB	402 ZIC/CPB	10 pcs.
83.	5005 CPDD/BP	85.5 X 146mm	120.6mm	402 CMB	402 ZIC/CPB	10 pcs.
84.	502 BP/1	85.5 X 85.5mm	60.3mm	401 CMB	401 ZIC/CPB	10 pcs.
85.	503 BP/1	85.5 X 85.5mm	60.3mm	401 CMB	401 ZIC/CPB	10 pcs.
86.	503 BP/2	85.5 X 85.5mm	60.3mm	401 CMB	401 ZIC/CPB	10 pcs.
87.	504 BP/1	85.5 X 146mm	120.6mm	402 CMB	402 ZIC/CPB	10 pcs.
88.	504 BP/2	85.5 X 146mm	120.6mm	402 CMB	402 ZIC/CPB	10 pcs.
89.	506 BP/1	85.5 X 146mm	120.6mm	402 CMB	402 ZIC/CPB	10 pcs.
90.	506 BP/2	85.5 X 146mm	120.6mm	402 CMB	402 ZIC/CPB	10 pcs.

**SOLID STATE RANGE COMBINATIONS**

Sr. No.	Catalogue No.	Dimensions	Fixing Hole Center	Surface Box	Conceal Box metal/pvc	Std Packing	As Per B. S.
91.	2025 CDS/2	85.5 X 85.5mm	60.3mm	405 CMB	401 ZIC/CPB	10 pcs.	BS:5518 : 1977
92.	2030 CDS/2	85.5 X 146mm	120.6mm	402 CMB	402 ZIC/CPB	5 pcs.	BS:5518 : 1977
93.	2030 CDS/3	85.5 X 146mm	120.6mm	402 CMB	402 ZIC/CPB	5 pcs.	BS:5518 : 1977
94.	2030 CDS/4	85.5 X 146mm	120.6mm	402 CMB	402 ZIC/CPB	5 pcs.	BS:5518 : 1977
95.	750 CDS/TC	85.5 X 85.5mm	60.3mm	405 CMB	401 ZIC/CPB	10 pcs.	--
96.	750 CDS/D	85.5 X 146mm	120.6mm	402 CMB	402 ZIC/CPB	5 pcs.	--
97.	750 CDS/D/TC	85.5 X 146mm	120.6mm	402 CMB	402 ZIC/CPB	5 pcs.	--

**COMPUTER RANGE**

Sr. No.	Catalogue No.	Dimensions	Fixing Hole Center	Surface Box	Conceal Box metal/pvc	Std Packing
98.	2003 CCSD	85.5 X 85.5mm	60.3mm	401 CMB	401 ZIC/CPB	10 pcs.
99.	2004 CCSD	85.5 X 85.5mm	60.3mm	401 CMB	401 ZIC/CPB	10 pcs.
100.	2001 CCS	85.5 X 85.5mm	60.3mm	401 CMB	401 ZIC/CPB	10 pcs.
101.	2002 CCS	85.5 X 85.5mm	60.3mm	401 CMB	401 ZIC/CPB	10 pcs.

**SHAVER SOCKET**

Sr. No.	Catalogue No.	Dimensions	Fixing Hole Center	Surface Box	Conceal Box metal/pvc	Std Packing	ISI No.	As Per B. S.
102.	110/230 CTSS	85.5 X 146mm	120.6mm	--	402 ZIC/CPB	10 pcs.	--	--



Highest Standard of Perfection